

Macks Loader

WHEEL LOADER

L1825



Strong like no other



EXUGEM

Kubota
rexroth

Engine **KUBOTA**
LIFT CAPACITY **1000KG**
LIFT HEIGHT **2437mm**

L1825

Engine
 Make..... KUBOTA
 Model.....1105
 Cylinders.....3
 Fuel type.....DIESEL
 Cylinder volume cm³.....1123
 Cooling system.....FLUID

Power
 SAE, gross power kW/hp.....18.2/24.8
 At engine speed r/min.....2200



Service volumes
 Engine oil.....4.4L
 Fuel tank.....35L
 Hydraulic tank.....45L
 Hydraulic system total volume.....50L

Performance
 Lifting power hydraulic kg1800
 Tear-out force kg1650
 Tipping load, straight kg.....1000
 Tipping load, articulated kg800
 Operating weight kg.....1850
 Drive speed km/h0-9
 Pulling force kg1200

Hydraulic system
 Working hydraulics l/min25+25
 System pressure bar.....180
 Drivetrain hydraulics l/min.....54
 Drivetrain max system pressure bar.....280

Cycle times
 Raising boom s.....3.7
 Lowering boom s.....2.2
 Folding in bucket s.....2.6
 Tipping bucket s.....1.6

Tires
 Dimension23x8.5-12



TYRES



23x8.50-12



23x10.50-12



24x13-12

SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park 📞 Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com

Macks Loader

WHEEL LOADER

L2225



Strong like no other

EXUGEM

**Kubota
rexroth**

Engine **KUBOTA**
LIFT CAPACITY **1300KG**
LIFT HEIGHT **3029mm**

L2225

Engine
 Make.....KUBOTA
 Model.....1505
 Cylinders.....4
 Fuel type.....DIESEL
 Cylinder volume cm³.....1498
 Cooling system.....FLUID

Power
 SAE, gross power kW/hp18.5/24.8
 Max gross torque Nm.....92.6
 At engine speed r/min.....1700
 Max Motor speed without load r/min2300


Service volumes
 Engine oil.....6L
 Fuel tank.....40L
 Hydraulic tank.....45L
 Hydraulic system total volume.....50L

Performance
 Lifting power hydraulic kg1960
 Tear-out force kg1850
 Tipping load, straight kg1300
 Tipping load, articulated kg1100
 Operating weight kg.....2150
 Drive speed km/h0-7-14
 Pulling force kg1250

Hydraulic system
 Working hydraulics l/min37+28
 System pressure bar.....180
 Drivetrain hydraulics l/min.....64
 Drivetrain max system pressure bar.....350

Cycle times
 Raising boom s.....3.9
 Lowering boom s.....2.3
 Folding in bucket s.....2.6
 Tipping bucket s.....2.0

Tires
 Dimension26x12-12



TYRES



27x8.50-15



27x10.5-15



26x12-12



26x11.5-14



29x12.5-15

SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park 📞 Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com

Macks Loader

WHEEL LOADER

L2745



Certificate No.
272-C132012



Strong like no other



EU GEM

YANMAR
rexroth

Engine **YANMAR**
LIFT CAPACITY **1800KG**
LIFT HEIGHT **2911mm**

L2745

Engine
Make.....YANMAR
Model.....3TNV86T
Cylinders.....3
Fuel type.....DIESEL
Cylinder volume cm³.....1568
Cooling system.....FLUID

Power
SAE, gross power kW/hp.....32.4/43.7
Max gross torque Nm.....128.9
At engine speed r/min.....1950
Max Motor speed without load r/min3000



Service volumes
Engine oil.....6L
Fuel tank.....60L
Hydraulic tank.....55L
Hydraulic system total volume.....60L

Performance
Lifting power hydraulic kg2850
Tear-out force kg2700
Tipping load, straight kg.....1800
Tipping load, articulated kg1500
Operating weight kg.....2980
Drive speed km/h0-15/0-30
Pulling force kg2400

Hydraulic system
Working hydraulics l/min60+48
System pressure bar.....180
Drivetrain hydraulics l/min.....120
Drivetrain max system pressure bar.....450

Cycle times
Raising boom s.....3.8
Lowering boom s.....2.2
Folding in bucket s.....2.6
Tipping bucket s.....2.0

Tires
Dimension15.0/55-17




TYRES

			
31x13.5-15 Multi Trac 350 / 760	15.0/55-17 AS 390 / 860	19.0/45-17 AS 440 / 880	19.0/45-17 Allground 440 / 880

SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park ☎ Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com



Macks Loader

WHEEL LOADER

L3055



Certificate No.
272-C132012



Strong like no other



EXUGEM

YANMAR
rexroth

Engine **3TN86CHT**
LIFT CAPACITY **1800KG**
LIFT HEIGHT **2911mm**

L3055

Engine
Make.....3TN86CHT
Model.....3TNV86T
Cylinders.....3
Fuel type.....DIESEL
Cylinder volume cm³.....1568
Cooling system.....FLUID

Power
SAE, gross power kW/hp.....40.1/54.1
Max gross torque Nm.....197
At engine speed r/min.....1650
Max Motor speed without load r/min2600



Service volumes
Engine oil.....6L
Fuel tank.....60L
Hydraulic tank.....55L
Hydraulic system total volume.....60L

Performance
Lifting power hydraulic kg2850
Tear-out force kg2700
Tipping load, straight kg.....1800
Tipping load, articulated kg1500
Operating weight kg.....2980
Drive speed km/h0-15/0-30
Pulling force kg2400

Hydraulic system
Working hydraulics l/min60+48
System pressure bar.....180
Drivetrain hydraulics l/min.....120
Drivetrain max system pressure bar.....450

Cycle times
Raising boom s.....3.8
Lowering boom s.....2.2
Folding in bucket s.....2.6
Tipping bucket s.....2.0

Tires
Dimension15.0/55-17



TYRES

			
31x13.5-15 Multi Trac 350 / 760	15.0/55-17 AS 390 / 860	19.0/45-17 AS 440 / 880	19.0/45-17 Allground 440 / 880

SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park ☎ Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com

Macks Loader

TELESCOPIC LOADER

T1825



Strong like no other

EXUGEM

Kubota
rexroth

Engine **KUBOTA**
LIFT CAPACITY **1000KG**
LIFT HEIGHT **2669mm**

T1825

Engine
 Make.....KUBOTA
 Model.....1105
 Cylinders.....3
 Fuel type.....DIESEL
 Cylinder volume cm³.....1123
 Cooling system.....FLUID

Power
 SAE, gross power kW/hp.....18.2/24.8
 At engine speed r/min.....2200


Service volumes
 Engine oil.....4.4L
 Fuel tank.....35L
 Hydraulic tank.....45L
 Hydraulic system total volume.....50L

Performance
 Lifting power hydraulic kg1730
 Tear-out force kg1520
 Tipping load, straight kg.....1000
 Tipping load, articulated kg800
 Operating weight kg.....1950
 Drive speed km/h0-9
 Pulling force kg1200

Hydraulic system
 Working hydraulics l/min25+25
 System pressure bar.....180
 Drivetrain hydraulics l/min.....54
 Drivetrain max system pressure bar.....280

Cycle times
 Raising boom s.....3.7
 Lowering boom s.....2.2
 Folding in bucket s.....2.6
 Tipping bucket s.....1.6

Tires
 Dimension23x8.5-12




TYRES



23x8.50-12

23x10.50-12


24x13-12



SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park ☎ Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com



Macks Loader

TELESCOPIC LOADER

T2225



Strong like no other



EXUGEM

Kubota
rexroth

Engine **KUBOTA**
LIFT CAPACITY **1300KG**
LIFT HEIGHT **3673mm**

T2225

Engine
 Make.....KUBOTA
 Model.....1505
 Cylinders.....4
 Fuel type.....DIESEL
 Cylinder volume cm³.....1498
 Cooling system.....FLUID

Power
 SAE, gross power kW/hp.....18.5/24.8
 Max gross torque Nm.....92.6
 At engine speed r/min.....1700
 Max Motor speed without load r/min2300


Service volumes
 Engine oil.....6L
 Fuel tank.....40L
 Hydraulic tank.....45L
 Hydraulic system total volume.....50L

Performance
 Lifting power hydraulic kg1850
 Tear-out force kg1780
 Tipping load, straight kg.....1300
 Tipping load, articulated kg1100
 Operating weight kg.....2220
 Drive speed km/h0-7-14
 Pulling force kg1250

Hydraulic system
 Working hydraulics l/min37+28
 System pressure bar.....180
 Drivetrain hydraulics l/min.....64
 Drivetrain max system pressure bar.....350

Cycle times
 Raising boom s.....3.9
 Lowering boom s.....2.3
 Folding in bucket s.....2.6
 Tipping bucket s.....2.0

Tires
 Dimension26x12-12



TYRES



26x8.50-15



27x10.5-15



26x12-12



26x11.5-14




29x12.5-15

SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park ☎ Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com



Macks Loader

TELESCOPIC LOADER

T3055



Strong like no other



EXUGEM

YANMAR
rexroth

Engine **YANMAR**
LIFT CAPACITY **1800KG**
LIFT HEIGHT **3937mm**

T3055

Engine
 Make.....YANMAR
 Model.....3TNV86T
 Cylinders.....3
 Fuel type.....DIESEL
 Cylinder volume cm³.....1568
 Cooling system.....FLUID

Power
 SAE, gross power kW/hp.....32.4/43.7
 Max gross torque Nm.....128.9
 At engine speed r/min.....1950
 Max Motor speed without load r/min3000


Service volumes
 Engine oil.....6L
 Fuel tank.....60L
 Hydraulic tank.....55L
 Hydraulic system total volume.....60L

Performance
 Lifting power hydraulic kg2680
 Tear-out force kg2570
 Tipping load, straight kg1800
 Tipping load, articulated kg1500
 Operating weight kg.....3230
 Drive speed km/h0-15/0-30
 Pulling force kg2400


Hydraulic system
 Working hydraulics l/min60+48
 System pressure bar.....180
 Drivetrain hydraulics l/min.....120
 Drivetrain max system pressure bar.....450

Cycle times
 Raising boom s.....3.8
 Lowering boom s.....2.2
 Folding in bucket s.....2.6
 Tipping bucket s.....2.0

Tires
 Dimension15.0/55-17



TYRES



SHANDONG OUJIN ENGINEERING MACHINERY CO.,LTD.

📍 Add: Shandong Qingzhou Caterpillar Industrial Park ☎ Tel: +86 15006692900

✉ E-mail: han@eougem.com 🌐 Web: www.miniwheelloader.com

